



## MUM BEAUTY – Good Night! Relaxing Cream

Color Cosmetics

Ref: SC/3364/EU

Product Name	INCI Name	%W/W	Supplier
<b>A</b>			
Water	Aqua	68.60	
<b>PURABYK R-5510</b>	<b>Bentonite (and) Xanthan Gum</b>	<b>4.00</b>	<b>www.eckart.net</b>
Glycerin	Glycerin	0.70	www.gustavheess.de
<b>B</b>			
Emulium Delta MB	Cetyl Alcohol (and) Glyceryl Stearate (and) PEG-75 stearate (and) Ceteth-20 (and) Steareth-20	3.00	www.gattefosse.com
Compritol 888 CG Pellets MB	Glyceryl Dibehenate (and) Tribehenin (and) Glyceryl Behenate	1.00	www.gattefosse.com
Labrafac CC MB	Caprylic/Capric Triglyceride	5.00	www.gattefosse.com
Lipex Shea	Butyrospermum Parkii Butter	1.00	www.aak.com
Biochemica Biovera Aloe Oil	Aloe Barbadensis Leaf Extract, Canola Oil	3.00	www.hallstarbeauty.com
Biochemica Argan Oil Ref	Argania Spinosa Kernel Oil	1.00	www.hallstarbeauty.com
Biochemica Lavender Butter	Prunus Amygdalus Dulcis (Sweet Almond) Oil, Hydrogenated Vegetable Oil, Lavandula Angustifolia (Lavender) Extract	1.00	www.hallstarbeauty.com
Lanette O	Cetearyl Alcohol	1.00	www.carecreations.basf.com
Cetiol 868	Ethylhexyl Stearate	4.00	www.carecreations.basf.com
<b>C</b>			
Gatuline Expression AF	Propanediol (and) Water (and) Acemella Oleracea Extract	1.00	www.gattefosse.com
Gatuline Renew	Butylene Glycol (and) Water (and) Cryptomeria Japonica Bud Extract	2.00	www.gattefosse.com
<b>SYNCRYSTAL Red</b>	<b>Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide</b>	<b>0.50</b>	<b>www.eckart.net</b>
<b>SYNCRYSTAL Blue</b>	<b>Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide</b>	<b>0.50</b>	<b>www.eckart.net</b>
FD&C Blue 1 Powder (0.25% aque. sol.)	Blue 1 CI 42090 (and) Water	0.20	www.spectradyes.com
D&C Red 33 Powder (0.25% aque. sol.)	Red 33 CI 17200 (and) Water	0.80	www.spectradyes.com
Lavender & Rosemary	Fragrance	0.20	www.fragrancesources.com
Euxyl PE 9010	Phenoxyethanol, Ethylhexylglycerin	1.00	www.ashland.com
Tocomix L50-IP	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	0.50	www.jandekker.com

### Procedure:

1. Disperse PURABYK into water, stir with high shear and add Glycerin
2. Heat phase A and B to 75°
3. Add phase B to phase A and emulsify
4. Add phase C step by step and stir until homogeneous
5. Pour into an appropriate container



- ⇒ SYNCRYSTAL Red and SYNCRYSTAL Blue in combination creates the purple bulk color with its pearly shine
- ⇒ The Cosmos approved PURABYK R-5510 stabilizes the formulation and increase viscosity without being sticky

### Stability:

Stable for at least 6 months at RT and 40°C.  
Stable for at least 1 month at 50°C.

### Customer Support

ECKART GmbH  
info.eckart@altana.com

ECKART America Corporation  
info.eckart.cosmetics@altana.com

ECKART Asia Limited  
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 17.01.2023  
Revision : 17.01.2023