

DRAPING – "Fresh Glow Luminizer" 9 Ref: CC/2482/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A		100.00	
TIXOGEL-IDD 1538	Isododecane (and) Quaternium-90 Bentonite (and) Propylene Carbonate	15.00	www.byk.com
Crodamol PC	Propylene Glycol Dicaprylate/ Dicaprate	22.00	www.croda.com
Syncrowax HRC	Tribehenin	3.00	www.croda.com
Compritol 888 CG Pastilles	Glyceryl Dibehenate (and) Tribehenin (and) Glyceryl Behenate	5.00	www.gattefosse.com
Gransil VX-418	Bis-Stearyl Dimethicone	26.00	www.grandinc.com
Ewacera 42	Candelilla Wax	1.00	www.wagnerlanolin.de
В			
Agenaflo OS 9051	Aluminium Starch Octenylsuccinate	8.00	www.agrana.com
SYNAFIL S525	Synthetic Fluorphlogopite	8.00	www.eckart.net
MIRAGE Copper	Calcium Sodium Borosilicate (and) Iron Oxides	0.50	www.eckart.net
MIRAGE Silver	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	3.50	www.eckart.net
MIRAGE Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	8.00	www.eckart.net

Procedure:

1. Mix phase A and heat up to 85°C

2. Mix phase B and add to phase A

3. Mix phase AB until homogeneous

4. Pour into an appropriate container

 $\Rightarrow~$ MIRAGE Copper decently tints the bulk color of the wax base and gives the skin a light shimmer

 \Rightarrow With MIRAGE Silver and Red shimmer effects can be

- obtained to accentuate certain skin areas like cheekbones
 ⇒ SYNAFIL S525 improves the spreadability of the luminizer and gives a soft skin feel
- ⇒ TIXOGEL-IDD 1538 avoids settling of the pigments during the mold and improves the spreadability of the wax formulation on the skin



Stability:

Stable for at least 6 months at RT and 40°C. Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH info.eckart@altana.com ECKART America Corporation info.eckart.cosmetics@altana.com

ECKART Asia Limited info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 29.06.2017 Revision : 15.09.2017

