

Lip & Cheek Stick – “Stupendous Ruby Red”

Color Cosmetics

Ref: CC/3174/EU

Product Name	INCI Name	%W/W	Supplier
A			
Castor Oil	Castor Oil	26.70	
TIXOGEL-CCT	Caprylic/Capric Triglyceride (and) Stearalkonium Bentonite (and) Propylene Carbonate	25.00	www.eckart.net
Kahlwax 6607L	Helianthus Annuus (Sunflower) Seed Wax	5.00	www.kahlwax.com
Kahlwax 2039L	Candelilla Cera	5.00	www.kahlwax.com
Kahlwax 6290	Rhus Verniciflua Peel Wax	3.00	www.kahlwax.com
Tegosoft OP	Ethylhexyl Palmitate	6.00	www.evonik.com
Tegosoft TN	C12-15 Alkyl Benzoate	7.00	www.evonik.com
Biochemica Argan Oil Ref	Argania Spinosa Kernel Oil	2.00	www.hallstarbeauty.com
Biochemica Mango Butter – Ultra Refined	Mangifera Indica (Mango) Seed Butter	3.00	www.hallstarbeauty.com
Biochemica Coconut Oil Ev org	Cocos Nucifera (Coconut) Oil	3.00	www.hallstarbeauty.com
Biochemica Jojoba Oil Gold Org	Simmondsia Chinensis (Jojoba) Seed Oil	3.00	www.hallstarbeauty.com
Lexgard O	Caprylyl Glycol	1.00	www.inolex.com
B			
SYNCRYSTAL Red	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	6.00	www.eckart.net
SYNCRYSTAL Supernova Red	Synthetic Fluorphlogopite (and) Iron Oxides (and) Tin Oxide	4.00	www.eckart.net
Red 7 Lake (CI 15850) (13%)	Red 7 Lake (and) Castor Oil	2.00	www.spectracolors.com
Cherry	Aroma	0.30	www.pura-natura.com

Procedure:

1. Melt phase A by heating to 85°C
2. Add phase B to phase A
3. Add the flavor and pour into stick mold
4. Cool down to RT

- ⇒ SYNCRYSTAL Supernova Red mixed with SYNCRYSTAL Red and colorant creates this fabulous berry tone with a super shine
- ⇒ TIXOGEL-CCT avoids settling of the pigments during cooling in the mold and improves the spreadability of the waxy stick formulation on the lips

Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.



Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 18.12.2022
Revision : 18.12.2022