

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## LUXAN C393

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : LUXAN C393  
Material number : 038072MLO

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH  
Guntersthal 4  
91235 Hartenstein  
Telephone : +499152770  
Telefax : +499152777008  
E-mail address : msds.eckart@altana.com  
Responsible/issuing person

#### 1.4 Emergency telephone number

**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

### SECTION 2: Hazards identification

#### GHS Classification

Not a dangerous substance according to GHS.

#### GHS-Labeling

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## LUXAN C393

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

**Hazardous components which must be listed on the label**

### SECTION 3: Composition/information on ingredients

Substance No. :

#### Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
titanium dioxide	13463-67-7 236-675-5	Acute Tox.;5;H333	1 - 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Remove contact lenses.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

This information is not available.

**4.3 Indication of any immediate medical attention and special treatment needed**

This information is not available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Foam, Carbon dioxide (CO<sub>2</sub>), ABC powder

**5.2 Special hazards arising from the substance or mixture**

This information is not available.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Avoid dust formation.

**6.2 Environmental precautions**

Environmental precautions : No special environmental precautions required.

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

This information is not available.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : General industrial hygiene practice.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Other data : Keep in a dry place. No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

This information is not available.

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

**SECTION 8: Exposure controls/personal protection**
**8.1 Control parameters**
**Germany:**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
iron hydroxide oxide yellow	51274-00-1	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
iron hydroxide oxide yellow	51274-00-1	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
iron hydroxide oxide yellow	51274-00-1	AGW (Alveolate fraction)	2,6 mg/m <sup>3</sup>	2009-02-16	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances			
silicon dioxide	7631-86-9	AGW (Inhalable fraction)	4 mg/m <sup>3</sup>	2013-09-19	DE TRGS 900
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). Colloidal amorphous silica, including pyrogenic silica and in wet processes manufactured silica (precipitated silica, silicagel). When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion		2;(II)			

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

factor (category)					
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

**United States of America (USA):**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
iron hydroxide oxide yellow	51274-00-1	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
iron hydroxide	51274-00-1	TWA (total dust)	15 mg/m <sup>3</sup>	2012-07-01	

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## LUXAN C393

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

oxide yellow					
iron hydroxide oxide yellow	51274-00-1	TWA (respirable fraction)	5 mg/m <sup>3</sup>	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
iron hydroxide oxide yellow	51274-00-1	PEL (Total dust)	10 mg/m <sup>3</sup>	2014-11-26	
iron hydroxide oxide yellow	51274-00-1	PEL (respirable dust fraction)	5 mg/m <sup>3</sup>	2014-11-26	
silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot	2012-07-01	
silicon dioxide	7631-86-9	TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub>	2012-07-01	
silicon dioxide	7631-86-9	TWA	6 mg/m <sup>3</sup>	2013-10-08	
silicon dioxide	7631-86-9	PEL	6 mg/m <sup>3</sup>	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	5 mg/m <sup>3</sup>	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m <sup>3</sup>	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m <sup>3</sup>	2014-11-26	

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	2011-07-01	
titanium dioxide	13463-67-7	TWA (Total dust)	10 mg/m <sup>3</sup>	1989-01-19	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m <sup>3</sup>	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m <sup>3</sup>	2014-11-26	
titanium dioxide	13463-67-7	TWA	10 mg/m <sup>3</sup>	2014-03-01	

**8.2 Exposure controls**
**Personal protective equipment**

Eye protection : Safety glasses


Skin and body protection : Protective suit

Respiratory protection : No personal respiratory protective equipment normally required.

**Environmental exposure controls**

General advice : No special environmental precautions required.

**SECTION 9: Physical and chemical properties**
**9.1 Information on basic physical and chemical properties**

Page 8 / 16	102000034952	A member of 
-------------	--------------	---



**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

Appearance	: powder
Colour	: gold
Odour	: characteristic
pH	: substance/mixture is non-soluble (in water)
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Bulk density	: 0,56 - 0,62 g/cm <sup>3</sup>
Flammability (solid, gas)	: Will not burn
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: 2,5 - 3,01 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: partly miscible
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

---

**9.2 Other information**No data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Stable under recommended storage conditions., No hazards to be specially mentioned.

**10.4 Conditions to avoid**

Conditions to avoid : No data available

**10.5 Incompatible materials**

Materials to avoid : No data available

**10.6 Hazardous decomposition products**

Hazardous decomposition products : No data available

Other information : No data available

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

**Components:****titanium dioxide :**

Acute oral toxicity : LD50 Rat: &gt; 5 000 mg/kg

Acute inhalation toxicity : LC50 Rat: 6,8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Rabbit: &gt; 5 000 mg/kg

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitisation**

No data available

**Carcinogenicity**

No data available

**Toxicity to reproduction/fertility**

No data available

**Reprod.Tox./Development/Teratogenicity**

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

---

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information**

**Product**

No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

---

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effects****Product:**Additional ecological information : No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**SECTION 14: Transport information****14.1 UN number****ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.2 Proper shipping name**

**ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.3 Transport hazard class**

**ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**


Not dangerous goods

**IATA**

Not dangerous goods

Page 14 / 16

102000034952

A member of  **ALTANA**

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

---

**14.4 Packing group****ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.5 Environmental hazards****14.6 Special precautions for user**

Not classified as dangerous in the meaning of transport regulations.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**No data available

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

**LUXAN C393**

Version 1.1

Revision Date 09.03.2022

Print Date 11.03.2022

Regulation (EC) No 1005/2009 on substances that  
deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic  
pollutants (recast) : Not applicable

REACH - Restrictions on the manufacture, placing on  
the market and use of certain dangerous substances,  
preparations and articles (Annex XVII) : Not applicable

**15.2 Chemical safety assessment**

No data available

**SECTION 16: Other information****Full text of H-Statements**

H333 : May be harmful if inhaled.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.