

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : EDELSTEIN CFX Sunstone Champagne
Material number : 025613MJ0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH
Guntersthal 4
91235 Hartenstein
Telephone : +499152770
Telefax : +499152777008
E-mail address : msds.eckart@altana.com
Responsible/issuing person

1.4 Emergency telephone number**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification**GHS Classification**

Not a hazardous substance or mixture.

GHS-Labeling

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

Not a hazardous substance or mixture.

Hazardous components which must be listed on the label

SECTION 3: Composition/information on ingredients

Substance No. :

Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
titanium dioxide	13463-67-7 236-675-5	Acute Tox.,5;H333	20 - 25

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Remove contact lenses.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Not combustible.

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

This information is not available.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Other data : Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Germany:**

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	AGW (Inhalable fraction)	1 mg/m ³	2009-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		4;(II)			
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).Skin absorptionWhen there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	2000-06-16	2000/39/EC
Further information		Indicative			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m ³	2021-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m ³	2021-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet			

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

		have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
titanium dioxide	13463-67-7	AGW (Alveolate fraction)	1,25 mg/m ³	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
diiron trioxide	1309-37-1	AGW (Inhalable fraction)	10 mg/m ³	2021-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
diiron trioxide	1309-37-1	AGW (Alveolate fraction)	1,25 mg/m ³	2021-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
diiron trioxide	1309-37-1	AGW (Alveolate fraction)	2,6 mg/m ³	2009-02-16	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		Commission for dangerous substances			
silicon dioxide	7631-86-9	AGW (Inhalable fraction)	4 mg/m ³	2013-09-19	DE TRGS 900
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). Colloidal amorphous silica, including pyrogenic silica and in wet processes			

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

	manufactured silica (precipitated silica, silicagel). When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child
--	---

United States of America (USA):

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	2007-01-01	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	2010-03-01	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA (Respirable particulate matter)	1 mg/m ³	2013-03-01	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	TWA	2,5 mg/m ³	1989-01-19	
Fluorophlogopite (Mg ₃ K[AlF ₂ O(SiO ₃) ₃])	12003-38-2	PEL	2,5 mg/m ³	2014-11-26	
diiron trioxide	1309-37-1	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
diiron trioxide	1309-37-1	TWA (total dust)	15 mg/m ³	2012-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
diiron trioxide	1309-37-1	PEL (Total dust)	10 mg/m ³	2014-11-26	
diiron trioxide	1309-37-1	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
diiron trioxide	1309-37-1	TWA	5 mg/m ³	2007-01-01	

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

		(Respirable particulate matter)			
diiron trioxide	1309-37-1	TWA (Fumes)	10 mg/m ³	2011-07-01	
diiron trioxide	1309-37-1	TWA (total dust)	15 mg/m ³	2011-07-01	
diiron trioxide	1309-37-1	TWA (respirable fraction)	5 mg/m ³	2011-07-01	
diiron trioxide	1309-37-1	TWA (dust and fume)	5 mg/m ³	2013-10-08	
diiron trioxide	1309-37-1	TWA (Fumes)	10 mg/m ³	1989-01-19	
diiron trioxide	1309-37-1	PEL (Total dust)	10 mg/m ³	2014-11-26	
diiron trioxide	1309-37-1	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
diiron trioxide	1309-37-1	PEL (Fumes)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	5 mg/m ³	2012-07-01	
titanium dioxide	13463-67-7	TWA (respirable fraction)	15 Million particles per cubic foot	2012-07-01	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	2011-07-01	
titanium dioxide	13463-67-7	TWA (Total dust)	10 mg/m ³	1989-01-19	
titanium dioxide	13463-67-7	PEL (Total dust)	10 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	PEL (respirable dust fraction)	5 mg/m ³	2014-11-26	
titanium dioxide	13463-67-7	TWA (Respirable particulate matter)	2,5 mg/m ³	2022-01-01	
silicon	7631-86-9	TWA (Dust)	20 Million particles	2012-07-01	

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

dioxide			per cubic foot		
silicon dioxide	7631-86-9	TWA (Dust)	80 mg/m ³ / %SiO ₂	2012-07-01	
silicon dioxide	7631-86-9	TWA	6 mg/m ³	2013-10-08	
silicon dioxide	7631-86-9	PEL	6 mg/m ³	2014-11-26	

8.2 Exposure controls
Personal protective equipment

Eye protection : Safety glasses
 Skin and body protection : Protective suit
 Respiratory protection : No personal respiratory protective equipment normally required.

Environmental exposure controls

General advice : No special environmental precautions required.

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

Appearance : powder
 Colour : beige
 Odour : characteristic
 pH : substance/mixture is non-soluble (in water)
 Melting point/freezing point : > 700 °C
 Boiling point/boiling range : No data available
 Flash point : No data available
 Bulk density : No data available

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

Flammability (solid, gas)	: Will not burn
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: 2,5 - 4,0 g/cm ³
Solubility(ies)	
Water solubility	: insoluble
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Other information : No data available

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Components:****titanium dioxide :**

Acute oral toxicity : LD50 Rat: > 5 000 mg/kg

Acute inhalation toxicity : LC50 Rat: 6,8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Rabbit: > 5 000 mg/kg

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

Reprod.Tox./Development/Teratogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information**Product**

Page 12 / 17

102000032235

A member of  **ALTANA**

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

No data available

SECTION 12: Ecological information**12.1 Toxicity**

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects**Product:**

Additional ecological information : No data available

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information**14.1 UN number****ADR**

Not dangerous goods

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name**ADR**

Not dangerous goods

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

Not dangerous goods


IATA

Not dangerous goods

14.5 Environmental hazards

Page 15 / 17

102000032235

A member of  **ALTANA**

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable

15.2 Chemical safety assessment

No data available

Globally Harmonized System of Classification and Labelling of
Chemicals (GHS)

EDELSTEIN CFX Sunstone Champagne

Version 2.2

Revision Date 30.08.2023

Print Date 02.09.2023

SECTION 16: Other information

Full text of H-Statements

H333 : May be harmful if inhaled.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.