according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version	Revision Date:	SDS Number:	Print Date: 02.02.2023
5.0	31.01.2023	102000025080	Date of first issue: 14.11.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
-------------	------------

Trade name : SYNCRYSTAL Ivory

Product code : 035649MJ0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Cosmetic products
Substance/Mixture		Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	:	ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	:	+499152770
Telefax	:	+499152777008
E-mail address of person responsible for the SDS	:	msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version	Revision Date:	SDS Number:	Print Date: 02.02.2023
5.0	31.01.2023	102000025080	Date of first issue: 14.11.2016

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente					
Chemical name	CAS-No.	ClassificationREGUL	Concentration		
	EC-No.	ATION (EC) No	(% w/w)		
	Index-No.	1272/2008			
	Registration number				
Substances with a workplace exposure limit :					
Fluorphlogopite	12003-38-2		>= 50 - <= 100		
(Mg3K[AIF2O(SiO3)3])					
	234-426-5				
	01-2119971065-37				
For explanation of abbreviation	ns see section 16				

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version	Revision Date:	SDS Number:	Print Date: 02.02.2023
5.0	31.01.2023	102000025080	Date of first issue: 14.11.2016

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures : Avoid dust formation. Personal precautions **6.2 Environmental precautions** Environmental precautions : No special environmental precautions required. 6.3 Methods and material for containment and cleaning up Pick up and arrange disposal without creating dust. Methods for cleaning up : Sweep up and shovel. Keep in suitable, closed containers for disposal. 6.4 Reference to other sections For personal protection see section 8. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling For personal protection see section 8. 1 Smoking, eating and drinking should be prohibited in the

Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
---	---	---

application area.

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version 5.0	Revision Date: 31.01.2023		DS Number: 2000025080	Print Date: 02.02.2023 Date of first issue: 14.11.2016
Нуд	iene measures	:	General industria	l hygiene practice.
7.2 Cond	litions for safe storage,	inc	luding any incom	patibilities
	uirements for storage as and containers	:		tions / working materials must comply with safety standards.
Adv	ice on common storage	:	No materials to b	e especially mentioned.
	her information on age stability	:	1 21	ce. n if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Fluorphlogopite (Mg3K[AIF2O(SiO 3)3])	12003-38-2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
	Further inform	ation: Indicative		
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply of particles of a particular part response that distinguishes and 'respirable material that e available for d to the fraction definitions and contain compo	g is undertaken in ac eneral methods for s pracic and inhalable zardous to health ind in air equal to or gre or 4 mg.m-3 8-hour be subject to COSHF dusts have been ass with the appropriate wide range of sizes. icle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appenters the nose and leposition in the resp that penetrates to the d explanatory material ponents that have the	of airborne dust which will b coordance with the methods ampling and gravimetric an aerosols., The COSHH defi- ludes dust of any kind whe eater than 10 mg.m-3 8-hou TWA of respirable dust. The fi people are exposed to d signed specific WELs and e limits., Most industrial dusts The behaviour, deposition a ne human respiratory system the nature and size of the p limit-setting purposes term proximates to the fraction of mouth during breathing and irratory tract. Respirable dust and are given in MDHS14/4., ir own assigned WEL, all the pospice short-term exposed	s described in alysis or nition of a n present at a r TWA of his means that ust above these xposure to these contain and fate of any m, and the body particle. HSE hed 'inhalable' of airborne l is therefore st approximates he lung. Fuller Where dusts e relevant limits

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

5.0 31.01.2023 102000025080 Date of first issue: 14.11.2016	Version 5.0	Revision Date: 31.01.2023	SDS Number: 102000025080	Print Date: 02.02.2023 Date of first issue: 14.11.2016	
---	----------------	---------------------------	-----------------------------	---	--

	a figure three	times the long-term	exposure limit should	be used.			
		TWA (Inhalable)	10 mg/m3	GB EH40			
		TWA (Respirable	4 mg/m3	GB EH40			
		dust)					
	inhalable dus when samplin MDHS14/4 G respirable, the substance ha concentration inhalable dus any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that of available for of to the fraction definitions an	t are those fractions of is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or great t or 4 mg.m-3 8-hour be subject to COSHF dusts have been ass with the appropriate wide range of sizes. ticle after entry into the t it elicits, depend on two size fractions for e'., Inhalable dust appendent enters the nose and deposition in the resp that penetrates to the d explanatory materi	ses of these limits, res of airborne dust which cordance with the me ampling and gravimet aerosols., The COSHI cludes dust of any kind eater than 10 mg.m-3 & TWA of respirable du d if people are exposed signed specific WELs a limits., Most industrial The behaviour, deposed the nature and size of r limit-setting purposes oproximates to the fract mouth during breathin biratory tract. Respirab ne gas exchange regio al are given in MDHS1	will be collected ethods described in ric analysis or H definition of a when present at a B-hour TWA of st. This means that d to dust above these and exposure to these dusts contain ition and fate of any system, and the body the particle. HSE s termed 'inhalable' tion of airborne g and is therefore le dust approximates n of the lung. Fuller 14/4., Where dusts			
			ir own assigned WEL,				
			no specific short-term				
	a figure three		exposure limit should				
		TWA (Respirable	4 mg/m3	GB EH40			
diiron trioxide	1200 27 1	fraction)	10 m m /m 2				
diiron trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40 GB EH40			
		TWA (Respirable fraction)	4 mg/m3	GB EH40			
		,	10 mg/m2				
		TWA (inhalable	10 mg/m3	GB EH40			
	dust) Further information: For the purposes of these limits, respirable dust and						
	when samplin MDHS14/4 G respirable, the substance ha concentration inhalable dus any dust will b levels. Some	ig is undertaken in a eneral methods for s pracic and inhalable zardous to health inc in air equal to or gre t or 4 mg.m-3 8-hour be subject to COSHF dusts have been ass	of airborne dust which ccordance with the me ampling and gravimet aerosols., The COSH cludes dust of any kind eater than 10 mg.m-3 & TWA of respirable du f if people are exposed signed specific WELs a limits., Most industrial	ethods described in ric analysis or H definition of a I when present at a B-hour TWA of st. This means that d to dust above these and exposure to these			

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version 5.0	Revision Date: 31.01.2023	SDS Number: 102000025080		nt Date: 02.02.2023 te of first issue: 14.11.2016	3
	to t def cor sho	he fraction that penetrates initions and explanatory m itain components that hav ould be complied with., Wh	s to the nateria e thei nere r term	iratory tract. Respirable due e gas exchange region of t al are given in MDHS14/4., r own assigned WEL, all th o specific short-term expos exposure limit should be us 4 mg/m3	he lung. Fuller Where dusts le relevant limits sure limit is listed,
		dust)		ses of these limits, respirab	
	when MD ress sub corr inh any leve mu par par ress diss and ma ava to t def corr sho	en sampling is undertaker HS14/4 General methods pirable, thoracic and inhal stance hazardous to heal incentration in air equal to of alable dust or 4 mg.m-3 8 of dust will be subject to CC els. Some dusts have been st comply with the approp- ticles of a wide range of s ticular particle after entry ponse that it elicits, deper inguishes two size fraction trespirable'., Inhalable du terial that enters the nose illable for deposition in the he fraction that penetrates initions and explanatory m tain components that hav puld be complied with., Wh	in ac for s able a th inc or gre -hour DSHH n ass riate I izes. into th d on ns for ust ap and r e resp s to th nateria e thei nere r	of airborne dust which will be cordance with the methods ampling and gravimetric and aerosols., The COSHH defi- ludes dust of any kind whe ater than 10 mg.m-3 8-hou TWA of respirable dust. The if people are exposed to d igned specific WELs and e imits., Most industrial dusts The behaviour, deposition a be human respiratory system the nature and size of the p limit-setting purposes term proximates to the fraction of nouth during breathing and iratory tract. Respirable dust e gas exchange region of the al are given in MDHS14/4., r own assigned WEL, all the o specific short-term expose exposure limit should be us	s described in halysis or inition of a n present at a r TWA of his means that lust above these xposure to these s contain and fate of any m, and the body particle. HSE hed 'inhalable' of airborne d is therefore st approximates the lung. Fuller Where dusts he relevant limits sure limit is listed

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

8.2 Exposure controls

Personal protective equipment						
Eye/face protection	:	Safety glasses				
Skin and body protection	:	Work uniform or laboratory coat.				
Respiratory protection	:	No personal respiratory protective equipment normally required.				

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version	Revision Date:	SDS Number:	Print Date: 02.02.2023
5.0	31.01.2023	102000025080	Date of first issue: 14.11.2016

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

 Physical state	:	powder
Colour	:	silver
Odour	:	odourless
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	3.2 g/cm3

according to Regulation (EC) No. 1907/2006

CECKART

SYNCRYSTAL Ivory

Versior 5.0	n Revision Date: 31.01.2023	SDS Number: 102000025080	Print Date: 02.02.2023 Date of first issue: 14.11.2016
Βι	Ik density	: 0.23 g/cm3	
Re	elative vapour density	: No data available	9
• • •	ner information o data available		
SECT	ON 10: Stability and rea	activity	
	eactivity o decomposition if stored ar	nd applied as directed.	
	nemical stability decomposition if stored ar	d applied as directed.	
10.3 Pe	ossibility of hazardous rea	actions	
Ha	azardous reactions	: Stable under rec	ommended storage conditions.
10.4 C	onditions to avoid		
Co	onditions to avoid	: No data available	9
10.5 In	compatible materials		
	azardous decomposition	products	
SECT	ON 11: Toxicological ir	formation	

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

5.0	Revision Date: 31.01.2023	SDS Number: 102000025080	Print Date: 02.02.2023 Date of first issue: 14.11.2016					
	inogenicity lassified based on av	cilable information						
		allable information.						
-	oductive toxicity lassified based on av	ailable information.						
	STOT - single exposure Not classified based on available information.							
STO	F - repeated exposur	re						
Not c	lassified based on av	ailable information.						
-	ration toxicity lassified based on av	ailable information.						
11.2 Infor	mation on other haz	ards						
Furth	ner information							
<u>Prod</u> Rema		: No data availat	ble					
SECTION	N 12: Ecological in	formation						
SECTION	N 12: Ecological in	formation						
12.1 Toxi	city	formation						
12.1 Toxi No da	city ata available							
12.1 Toxi No da 12.2 Pers	city							
12.1 Toxid No da 12.2 Pers No da 12.3 Bioa	city ata available istence and degrada	ability						
12.1 Toxic No da 12.2 Pers No da 12.3 Bioa No da 12.4 Mob	city ata available istence and degrada ata available ccumulative potentia	ability						
12.1 Toxic No da 12.2 Pers No da 12.3 Bioa No da 12.4 Mobi	city ata available istence and degrada ata available ccumulative potentia ata available ility in soil	ability al						
12.1 Toxic No da 12.2 Pers No da 12.3 Bioa No da 12.4 Mobi No da 12.5 Resu	city ata available istence and degrada ata available ccumulative potentia ata available ility in soil ata available ults of PBT and vPvE	ability al						
12.1 Toxic No da 12.2 Pers No da 12.3 Bioa No da 12.4 Mobi No da 12.5 Resu <u>Prod</u>	city ata available istence and degrada ata available ccumulative potentia ata available ility in soil ata available ults of PBT and vPvE	ability al 3 assessment : This substance to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of					
12.1 Toxia No da 12.2 Pers No da 12.3 Bioa No da 12.4 Mobi No da 12.5 Resu <u>Prod</u> Asse	city ata available istence and degrada ata available ccumulative potentia ata available ility in soil ata available ults of PBT and vPvE uct: ssment	ability al 3 assessment : This substance to be either per very persistent 0.1% or higher.	sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of					
12.1 Toxia No da 12.2 Pers No da 12.3 Bioa No da 12.4 Mobi No da 12.5 Resu <u>Prod</u> Asse	city ata available istence and degrada ata available ccumulative potentia ata available ility in soil ata available Ilts of PBT and vPvE uct: ssment	ability al 3 assessment : This substance to be either per very persistent 0.1% or higher.	sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of					
12.1 Toxia No da 12.2 Pers No da 12.3 Bioa No da 12.4 Mobi No da 12.5 Resu <u>Prod</u> Asse	city ata available istence and degrada ata available ccumulative potentia ata available ility in soil ata available ults of PBT and vPvE uct: ssment ccrine disrupting pro ata available or adverse effects	ability al 3 assessment : This substance to be either per very persistent 0.1% or higher.	sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of					

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version	Revision Date:	SDS Number:	Print Date: 02.02.2023
5.0	31.01.2023	102000025080	Date of first issue: 14.11.2016

Components:

Fluorphlogopite (Mg3K[AlF2O(SiO3)3]):

Additional ecological : No data available information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good
14.5	Environmental hazards		
	Not regulated as a dangerous	goo	od

14.6 Special precautions for user

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Ivory

Version	Revision Date: 31.01.2023	SDS Number:	Print Date: 02.02.2023	
5.0		102000025080	Date of first issue: 14.11.2016	
Remarks		: Not classified as dangerous in the meaning of transport regulations.		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations							
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values					
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits					
2000/39/EC / TWA GB EH40 / TWA		Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period)					

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System;

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

CECKART

SYNCRYSTAL Ivory

Version	Revision Date:	SDS Number:	Print Date: 02.02.2023
5.0	31.01.2023	102000025080	Date of first issue: 14.11.2016

GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN